



### **Performance**

- Three fan speeds
- Auto function senses heat from the cooking surface and adjusts fan speeds
- Powerfully quiet ventilation systems
- Extended capture area ensures removal of smoke and odor
- Built-in 'Clean Filter' reminder light illuminates after 40 hours of operation
- Delayed shut off tackles lingering odors for up to 10 minutes
- Dimmer lighting - for a soft lighting effect
- Two Infrared Keep-Hot Lamps hold food warm until serving time
- Dishwasher safe stainless steel baffle filters
- Dishwasher safe grease collection trays are easily removed
- Filter systems are highly efficient at capturing grease
- Vertical or horizontal ducting direction
- Seven different blowers to choose from the line up according to cooking needs
- Choose from Inline, Remote or Integrated Blowers
- Blowers sold separately
- Hood includes filters, backdraft damper and transition
- Approved by CSA/UL for damp environments

### **Design**

- 27" depth hood is a perfect companion to the Pro Grand professional range
- Chiseled design for a seamless integration into any kitchen
- Brushed stainless steel finish
- Halogen lighting spotlights your best recipes
- Easy to view recessed control panel with stainless steel buttons

- Stainless steel professional style baffle filters

Amps (A)	15; 20
Frequency (Hz)	60
Approval certificates	CSA
Plug type	120V-3 prong
Net weight (lbs)	87
Gross weight (lbs)	90
Required distance above range/rangetop/cooktop	36"/36"
Diameter of air duct (in) top	10
Diameter of air duct (in) back	10
Operating mode	Ducted
Delay shut off modes	10M
Required accessories	Blower
Optional accessories	DC36US, DCT36US, EXTNCB25, KHS36QS, PA36JBS, RFPLT1000, RFPLT600, RJ310, WC10
Number of lights	2
Type of lamps used	infra-red
Total power of the lamps (W)	40; 40
Grease filter material	Washable stainless steel