







Design


- Timeless built-in stainless steel refrigerator
- Masterpiece Handle Design

Performance

- Full-Filtered External Water and Ice Dispenser
- On the door ice bin saves freezer space
- Electronic controls for precise temperature management
- FlexTemp® Drawer optimized for fish, meat and produce
- Crisper Drawers
- Gallon door bins
- Frameless glass shelves
- Height adjustable glass shelves
- All metal freezer baskets
- Filtered ice-maker
- SuperCool - Chills food quickly
- Sabbath mode
- Door open alarm
- NO_FEATURE Cu. Ft.



| | |
|--------------------------------------|---------|
| Frequency (Hz) | 60 |
| Approval certificates | CSA, UL |
| Energy consumption (kWh/yr) | 884.8 |
| Net weight (lbs) | 589 |
| Gross weight (lbs) | 653 |
| Refrigerator gross capacity (cu.ft.) | 19 |
| Freezer gross capacity (cu.ft.) | 11 |
| Number of door bins - freezer | 6 |
| Number of shelves - freezer | 4 |
| Water filter replacement indicator | Yes |
| Reversible door hinge | No |



The water line attached to the back of the refrigerator is 5 ft (1524 mm) long. Height dimensions are shown with leveling legs extended 1/8" (3 mm) below rollers.

* When leveling legs are fully extended to 1 1/4" (32 mm) below rollers, add 1 1/8" (29 mm) to the height dimensions.

The depth from the front of the top grille to the back of the refrigerator cabinet is 25 1/8" (638 mm).